



2023

A person wearing a helmet and dark clothing is riding a mountain bike on a dirt trail through a dense forest. Sunlight filters through the trees, creating a dappled light effect on the ground and foliage. The text 'ELEKTROKOLA' and 'E-BIKES' is overlaid in large, bold, yellow letters.

ELEKTROKOLA E-BIKES

AYRA



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 Aluminium 6061; 17.5" | 19.5" | 21.5"

🔧 Manitou Machete, 130mm, air

🔧 Manitou Mara 45mm, air

🔧 38t, Shimano Deore 11-speed/11-50t/

🔧 Shimano SLX, 203/180mm, hydraulic

🔧 Maxxis Rekon, 29x2.60"

📊 KG approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ARRAN



 Panasonic GX Ultimate 36V/250W

 Li-On, 720Wh, 36V/20A

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16.5" | 17.5" | 19.5"

 29" - Manitou Machete, 130mm, air
27,5" - Manitou Machete^{COMP}, 120mm, air

 Manitou Mara 45mm, air

 38t, Shimano Deore 10-speed/11-46t/

 Shimano Deore, 203/180mm, hydraulic

 Maxxis Rekon, 29x2.60" | 27x2.60"

 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AXEN



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🛞 Aluminium 6061; 17.5" | 19.5" | 21.5"

🔧 UDING UD34 120mm, air

🔧 DNM 50mm, air

⚙️ 38t, Shimano Deore 10-speed/11-46t/

🔧 Shimano Deore, 180mm, hydraulic

🔧 Maxxis Rekon, 29x2.25"

🏋️ approx. 28kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AERON



⚡ Bafang M510 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 29" – Al. 6061; 17.5" | 19.5" | 21.5"
27.5" – Al. 6061; 16" | 17.5" | 19.5"

🏠 Manitou Markhor, 100mm, air

🔧 DNM, 50mm, air

⚙️ 38t, Shimano Deore 10-speed/11-46t/

🌀 RIDEREVER, 203/180mm, hydraulic

🌀 Maxxis Rekon, 29x2.6" | 27.5x2.6"

📊 KG approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ORION



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🛞 Aluminium 6061; 17.5" | 19.5" | 21.5"

🏔️ Manitou Markhor, 100mm, air

⚙️ 38t, Shimano Deore 11-speed/11-50t/

🌀 Shimano Deore, 180mm, hydraulic

🌀 Maxxis Rekon, 29x2.25"

📊 approx. 24kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

OREM



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🛞 Aluminium 6061; 17.5" | 19.5" | 21.5"

🏹 RST AERIAL, 100mm

⚙️ 38t, Shimano Deore 10-speed/11-46t/

🌀 RIDEREVER, 180/160mm, hydraulic

🌀 Maxxis Rekon, 29x2.25"

🏋️ approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

OXNAR



 Panasonic GX Ultimate 36V/250W

 Li-On, 720Wh, 36V/20A

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"

 29" - RST AERIAL, 100mm, air
27,5" - UDING D3-HL, 100mm

 38t, Shimano Alivio 9-speed/11-36t/

 Shimano, 180/160mm, hydraulic

 Maxxis Rekon, 29x2.25" | 27,5x2.25"

 approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ALTAR



🔋 Bafang M510 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 29" – Al. 6061; 17.5" | 19.5" | 21.5"
27,5" – Al. 6061; 16" | 17.5" | 19.5"

🏠 RST AERIAL, 100mm

⚙️ 38t, Shimano Alivio 9-speed/11-36t/

🌀 RIDEREVER, 180/160mm, hydraulic

🌀 Maxxis Rekon, 29x2.25" | 27,5x2.25"

📊 approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWALONGENT



⚡ Bafang M420 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"


🏠 UDING UD32, 100mm, air

⚙️ 38t, Shimano Altus 9-speed/11-36t/

🌀 Zoom, 180/160mm, hydraulic

🌀 Maxxis Rekon, 29x2.25" | 27,5x2.25"

📊 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWALON LADY



🔌 Bafang M420 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🚲 Aluminium 6061; 16.5" | 18" | 20"

🏠 UDING UD32, 100mm, air

⚙️ 38t, Shimano Altus 9-speed/11-36t/

🌀 Zoom, 180/160mm, hydraulic

🌀 Maxxis Rekon, 29x2.25"

📊 KG approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SWAN GENT



 Bafang Modest 36V/350W

 Li-On, 540Wh, 36V/15Ah

 29" - Al. 6061; 17.5" | 19.5" | 21.5"
27,5" - Al. 6061; 16" | 17.5" | 19.5"


 Uding D3-HL, 100mm

 38t, S-Ride 9-speed/11-40t/

 Zoom, 180/160mm, hydraulic

 CST AllTerrains, 29x2.35" | 27,5x2.35"

 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SWAN LADY



⚡ Bafang Modest 36V/250W

⚡ Li-On, 540Wh, 36V/15Ah

🔧 Aluminium 6061; 16.5" | 18" | 20"

🔧 Uding D3, 100mm

⚙️ 38t, S-Ride 9-speed/11-40t/

🌀 Zoom, 180/160mm, hydraulic

🌀 CST AllTerains, 29x2.35"

📊 approx. 20kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BRASA



🔋 Panasonic GX Ultimate 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🛞 Aluminium 6061; 18" | 20"


👑 RST Guide, 95mm

⚙️ 38t, Shimano Deore 11-speed/11-50t/

🌀 Zoom, 160mm, hydraulic

🌀 CST BFT, 26x4.0"

🏋️ approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BRAGA



🔋 Bafang M510, 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🚲 Aluminium 6061; 18" | 20"

👑 BRAGA, Aluminium 6061

⚙️ 38t, Shimano Alivio 9-speed/11-36t/

🌀 Zoom, 180/160mm, hydraulic

🌀 CST BFT, 26x4.0"

🏋️ approx. 25kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BEND GENT



⚡ Bafang M510 36V/350W

⚡ Li-On, 720Wh, 36V/20A

🔧 Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"

🔧 Vaxa 860S, 100mm

⚙️ 38t, S-Ride 9-speed/11-46t/

🌀 Shimano, 180/160mm, hydraulic

🌀 CST TrailFiend, 29x2,1"

⚖️ approx. 27,5kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

BEND LADY



 Bafang M510 36V/350W

 Li-On, 720Wh, 36V/20A

 Aluminium 6061; 16,5" | 18" | 20"

 Vaxa 860S, 100mm

 38t, S-Ride 9-speed/11-46t/

 Shimano, 180/160mm, hydraulic

 CST TrailFiend, 29x2,1"

 approx. 27kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LUOGAS GENT



⚡ Bafang M420 36V/250W

⚡ Li-On, 720Wh, 36V/20A

📏 Aluminium 6061; 17,5" | 19" | 20.5" | 22.5"


🔧 Zoom 188D, 65mm

⚙️ 38t, S-Ride 9-speed/11-46t/

🌀 Zoom, 160mm, hydraulic

🌀 CST ProBrooklyn, 29x2.0"

⚖️ approx. 23kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LUCEA S LADY



🔌 Bafang M420 36V/250W

⚡ Li-On, 720Wh, 36V/20A

🚲 Aluminium 6061; 16.5" | 18" | 20"


👑 Zoom 188D, 65mm

⚙️ 38t, S-Ride 9-speed/11-46t/

🌀 Zoom, 160mm, hydraulic

🌀 CST ProBrooklyn, 29x2.0"

🏋️ approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

N E B A



⚡ Bafang M420 36V/350W

⚡ Li-On, 540Wh, 36V/15Ah

🚲 Aluminium 6061; 16,5" | 18" | 20"

🔧 Zoom CH-109D, 25mm

⚙️ 38t, Shimano NEXUS 8-speed/18t/

🌀 Shimano, 160mm, hydraulic

🌀 CST ClassicAllRound, 28x1.75"

📊 approx. 19kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

VIVALO



🔌 Bafang M420 36V/350W

⚡ Li-On, 540Wh, 36V/15A

🔧 Aluminium 6061; 16,5" | 18" | 20"

🔧 Zoom 188D, 65mm

⚙️ 38t, S-Ride 9-speed/11-46t/

🔧 Zoom, 160mm, hydraulic

🔧 CST ClassicAllround, 28x1.75"

📊 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SAGA



🔋 Bafang Modest 36V/350W

⚡ Li-On, 540Wh, 36V/15Ah

🛞 Aluminium 6061; 16,5" | 18" | 20"

🏠 Zoom 188D, 65mm

⚙️ 38t, Shimano Altus 8-speed/11-34t/

🌀 Zoom, 160mm, hydraulic

🌀 CST ClassicAllRound, 28x1.75"

📊 approx. 22kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

INDUKTORA



⚡ Bafang RM G020 36V/250W

⚡ Li-On, 540Wh, 36V/15Ah

🚲 Aluminium 6061; 16,5" | 18" | 20"

🚲 EXE Race, travel 45mm

⚙️ 38t, Shimano 7-speed/14-28t/

🌀 Zoom, 160mm, mechanical

🌀 CST ControlPrima, 28" 700x40c

📊 approx. 20kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

LOTUS



⚡ Bafang RM G020 36V/250W

⚡ Li-On, 540Wh, 36V/15Ah

🚲 Aluminium 6061; 16,5" | 18" | 20"

🔧 Zoom 187D, 60mm

⚙️ 38t, Shimano 7-speed/14-28t/

🌀 Zoom, 160mm, mechanic

🌀 CST SensamoControl, 26x1.75"

📊 approx. 21kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

HARLAN



 Bafang Modest 36V/250W

 Li-On, 504Wh, 36V/14A

 Aluminium 6061

 Zoom 106D, 25mm

 32t, S-Ride 8-speed/11-34t/

 Zoom, 140mm, hydraulic

 CST Vault, 20x2.2"

 approx. 21kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

JÍZDNÍ KOLA BICYCLES



HARPER



-  Aluminium 6061; 17,5" | 19.5" | 21.5"
-  Manitou Machete, 120mm, air
-  DNM, 50mm, air
-  32t, Shimano Deore 11-speed/11-50t/
-  Shimano Deore, 203/180mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 16kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TRION



-  Aluminium 6061; 17.5" | 19.5" | 21.5"
-  UDING UD34, 120mm, air
-  DNM, 50mm, air
-  32t, Shimano Deore 10-speed/11-46t/
-  Shimano, 180/160mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

EMPORIA



-  Aluminium 6061; 18" | 20" | 22"
-  Manutou Machete, 120mm, air
-  32t, Shimano Deore 11-speed/11-50t/
-  Shimano Deore, 180mm, hydraulic
-  Maxxis Rekon, 29x2.25"
-  approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TRAP



- 🔧 Aluminium 6061; 18" | 20" | 22"
- 🏹 Uding UD34, 120mm, air
- ⚙️ 32t, Shimano Deore 10-speed/11-46t/
- 🌀 RIDEREVER, 180/160mm, hydraulic
- 🌀 Maxxis Rekon, 29x2.25"
- 🏋️ approx. 15kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SONORA



📏 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"

🔧 UDING D3-HL, 100mm

⚙️ 38t, Shimano Altus 8-speed/11-36t/

🌀 Zoom, 160mm, hydraulic

🛞 CST AllTerrains, 29x2.35" | 27,5x2.35"

⚖️ approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ZERO



📏 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"

📏 UDING D3-HL, 100mm

⚙️ 38t, S-Ride 9-speed/11-40t/

🌀 Zoom, 160mm, hydraulic

🌀 CST AllTerains, 29x2.35" | 27,5x2.35"

📊 approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ESSENT



📏 29" - Al. 6061; 16" | 18" | 20" | 22"
27,5" - Al. 6061; 16" | 18" | 20"


🏠 UDING D3-HL, 100mm

⚙️ 38t, Shimano Altus 8-speed/11-36t/

🌀 Zoom, 160mm, mechanic

🌀 CST AllTerains, 29x2.35" | 27,5x2.35"

⚖️ approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.



FACTOR

-  Aluminium 6061; 14" | 16" | 18" | 20"
-  Zoom 565D, 80mm
-  36t, S-Ride 8-speed/11-34t/
-  Zoom, 160mm, mechanical
-  Innova, 26x2.10"
-  approx. 14kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

MXC GENT



 Aluminium 6061; 14" | 16" | 18" | 20"

 Zoom 565V, 80mm

 36t, S-Ride 8-speed/11-34t/

 V-Brakes

 Innova, 26x2.10"

 approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

MXC LADY



 Aluminium 6061; 14" | 16" | 18" | 20"

 Zoom 565V, 80mm

 36t, S-Ride 8-speed/11-34t/

 V-Brakes

 Innova, 26x2.10"

 approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ŠUMAVA GENT



-  Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"
-  Zoom 187D, 60mm
-  22, 32, 44t, Shimano Alivio 9-speed/11-36t/
-  Zoom, 160mm, hydraulic
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

ŠUMAVA LADY



-  Aluminium 6061; 16,5" | 18" | 20"
-  Zoom 187D, 60mm
-  22, 32, 44t, Shimano Alivio 9-speed/11-36t/
-  Zoom, 160mm, hydraulic
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TOSCANA GENT



-  Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"
-  Zoom 141D, 45mm
-  22, 32, 44t, Shimano Altus 9-speed/11-36t/
-  Zoom, 160mm, mechanical
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

TOSCANA LADY



-  Aluminium 6061; 16,5" | 18" | 20"
-  Zoom 141D, 45mm
-  22, 32, 44t, Shimano Altus 9-speed/11-36t/
-  Zoom, 160mm, mechanical
-  CST ClassicAllround, 28x1.75"
-  approx. 11kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

AWAY GENT



 Aluminium 6061; 17,5" | 19" | 20,5" | 22,5"


 EXE RACE, 45mm

 28, 38, 48t, Shimano 3x7-speed/11-34t/

 V-Brake

 CST ControlPrima, 700x40C

 approx. 9kg




*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.



AWAY LADY

-  Aluminium 6061; 16,5" | 18" | 20"
-  EXE RACE, 45mm
-  28, 38, 48t, Shimano 3x7-speed/11-34t/
-  V-Brake
-  CST ControlPrima, 700x40C
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

FERRARA GENT



 Aluminium 6061; 17,5" | 19" | 20.5"

 EXE Race 45mm

 38t, S-Ride 8-speed/11-34t/

 V-brakes

 CST ControlPrima, 28" 700x40c

 approx. 10kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

FERRARA LADY



 Aluminium 6061; 16,5" | 18,, | 20"

 EXE Race 45mm

 38t, S-Ride 8-speed/11-34t/

 V-brakes

 CST ControlPrima, 28" 700x40c

 approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

REGION



-  Aluminium 6061; 17" | 19"
-  EXE Race, 45mm
-  38t, Shimano 7-speed/14-28t/
-  V-brakes
-  CST ControlPrima, 28" 700x40c
-  approx. 10kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

DOMESTA



-  Aluminium 6061; 17" | 19"
-  Aluminium 6061
-  38t, Shimano 7-speed/14-28t/
-  V-Brake
-  CST SensamoControl, 26x1.75"
-  approx. 9kg




*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

EMA



-  Aluminium 6061; 17" | 19"
-  Aluminium 6061
-  38t, Shimano Tourney 7-speed/14-28t/
-  V-Brakes
-  CST SensamoControl, 26x1,75"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

CAPITAN BOY 24"



-  Aluminium 6061
-  Zoom 565D, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  Zoom, 160mm, mechanical
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SPIDER BOY^{24"}



-  Aluminium 6061
-  Zoom 565V, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  V-Brakes
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.

SPIDER GIRL 24"



-  Aluminium 6061
-  Zoom 565V, 50mm
-  36t, S-Ride 8-speed/11-34t/
-  V-Brakes
-  CST, 24x1.95"
-  approx. 9kg



*MOHOU PROBĚHNOUT ZMĚNY TECHNICKÝCH SPECIFIKACÍ. | THERE MIGHT HAPPEN TECHNICAL SPECS CHANGES OF ANY KIND.



@KOLA_LEADER_FOX
WWW.LEADERFOX.CZ
WWW.LEADERFOX.COM